



Attorney Docket No. 1793.1243

Cgc

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Pyong-yong Seong

Application No.: 10/822,868

ATTENTION

Confirmation No.: 2656

CERTIFICATE OF CORRECTION

Filed: April 13, 2004

BRANCH

U.S. Patent No.: 7,206,266

Issued: April 17, 2007

For: OPTICAL PICKUP, OPTICAL RECORDING AND/OR REPRODUCING APPARATUS
INCLUDING THE SAME, AND METHOD FOR REALIZING COMPATIBLE TRACKING

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

Patentees respectfully request that a Certificate of Correction be issued in the subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistake shown on the attached Form PTO-1050.

Since the mistakes are Patent Office mistakes, it is believed that no fee is required.

Respectfully submitted,

STAAS & HALSEY LLP

Date: Jun 26, 2007

By: [Signature]
Gene M. Garner, II
Registration No. 34,172

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

Certificate
JUN 28 2007
of Correction

JUN 28 2007

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,206,266

DATED : April 17, 2007

INVENTOR(S) : Pyong-yong Seong

Column 18, Line 34, change " $181.5^{\circ} \leq PH1 \leq 211.52^{\circ}$ " to " $-181.5^{\circ} \leq PH1 \leq 211.5^{\circ}$ ".

MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP
1201 New York Ave., N.W.
7th Floor
Washington, DC 20005

PATENT NO. 7,206,266

No. of add'l copies
@ 50¢ per page

⇒

JUN 28 2007